Breslow Western Diet/Low Fat/Reduced Sucrose Control

DESCRIPTION

Modification of TestDiet® Breslow Western Diet, 5TFH, but with reduced fat and sucrose. Cholesterol removed to serve as a low-fat control. Formula originally known as TD.08485.

Intended for rodents in a laboratory setting.

CAUTION: Contains a new animal drug for investigational use only in laboratory research animals or for tests in vitro. Not for use in humans.

Storage conditions are particularly critical to TestDiet® products, due to the absence of antioxidants or preservative agents. To provide maximum protection against possible changes during storage, store in a dry, cool location. Storage under refrigeration (2° C) is recommended. Maximum shelf life is six months. (If long term studies are involved, storing the diet at -20° C or colder may prolong shelf life.) Be certain to keep in air tight containers.

Product Forms Available*	Catalog #
1/2" Pellet, Irradiated	1819225-203

*Other Forms Available On Request	
Corn Starch	43.2960
Casein - Vitamin Tested	19.5000
Sucrose	12.0000
Dextrin	10.0000
Powdered Cellulose	5.0000
Milk Fat	3.7200
AIN-76A Mineral Mix	3.5000
Soybean Oil	1.2800
AIN-76A Vitamin Mix	1.0000
Calcium Carbonate	0.4000
DL-Methionine	0.3000
Ethoxyquin (a preservative)	0.0040

*See page 2 for Expanded Ingredient Listings

FEEDING DIRECTIONS

Feed ad libitum. Plenty of fresh, clean water should be available at all times.

CAUTION:

Perishable - store properly upon receipt. For laboratory animal use only; NOT for human consumption.

1/6/2023

1 Ν

NUTRITIONAL	PROP	ILE	j
Protein, %		17.8	
Arginine, %		0.68	
Histidine, %		0.50	
Isoleucine, %		0.93	
Leucine, %		1.69	
Lysine, %		1.42	
Methionine, %		0.80	
Cystine, %		0.07	
Phenylalanine, %		0.93	
Tyrosine, %		0.99	
Threonine, %		0.75	
Tryptophan, %		0.22	
Valine, %		1.11	
Alanine, %		0.54	
Aspartic Acid, %		1.26	
Glutamic Acid, %		3.98	
Glycine, %		0.38	
Proline, %		2.30	
Serine, %		1.08	
Taurine, %		0.00	,
Fat, %		4.9	,
Cholesterol, ppm		99	,
Linoleic Acid, %		0.75	
Linolenic Acid, %		0.12	
Arachidonic Acid, %		0.01	
Omega-3 Fatty Acids, %		0.14	
Total Saturated Fatty A		2.42	
Total Monounsaturated Fatty Acids, %		1.08	
-	: -L - 0/	0.75	
Polyunsaturated Fatty Ac	IOS, %	0.75	,
Fiber (max), %		5.0	
Carbohydrates, %		66.7	
Energy (kcal/g) ²		3.82	i
From:	kcal	%	
Protein	0.713	18.7	
Fat (ether extract)	0.442	11.6	
Carbohydrates	2.668	69.8	

Minerals	
Calcium, %	0.68
Phosphorus, %	0.56
Potassium, %	0.36
Magnesium, %	0.05
Sodium, %	0.13
Chloride, %	0.21
Fluorine, ppm	0.0
Iron, ppm	51
Zinc, ppm	35
Manganese, ppm	59
Copper, ppm	6.0
Cobalt, ppm	0.0
lodine, ppm	0.21
Chromium (added), ppm	2.0
Molybdenum, ppm	0.00
Selenium, ppm	0.17
Vitamins	
Vitamin A, IU/g	5.1
Vitamin D-3 (added), IU/g	1.0
Vitamin E, IU/kg	51.0
Vitamin K, ppm	0.50
Thiamin, ppm	4.8
Riboflavin, ppm	6.7
Niacin, ppm	30
Pantothenic Acid, ppm	16
Folic Acid, ppm	2.1
Pyridoxine, ppm	5.8
Biotin, ppm	0.2
Vitamin B-12, mcg/kg	13
Choline Chloride, ppm	0
Ascorbic Acid, ppm	0.0
1. Formulation based on calculated value from the latest ingredient analysis information. Since nutrient composition natural ingredients varies and some nutrient loss will occur due to manufacturing processes, analysis will differ accordingly. Nutrients expressed a	of

percent of ration on an As-Fed basis except where otherwise indicated. 2. Energy (kcal/gm) - Sum of decimal fractions of protein, fat and carbohydrate x 4,9,4 kcal/gm respectively.

NOTE: When assayed, actual levels may vary from calculated values.



EXPANDED INGREDIENT LIST

AIN-76A Mineral Mix	Calcium Phosphate, Potassium Citrate, Tribasic Monohydrate, Sucrose, Sodium Chloride, Potassium Sulfate, Magnesium Oxide, Ferric Citrate, Manganese Carbonate, Zinc Carbonate, Chromium Potassium Sulfate, Cupric Carbonate, Sodium Selenite, Potassium Iodate
AIN-76A Vitamin Mix	Sucrose, DL-Alpha Tocopheryl Acetate (Form of Vitamin E), Nicotinic Acid, Vitamin A Palmitate, Calcium Pantothenate, Pyridoxine Hydrochloride, Riboflavin, Thiamine Hydrochloride, Cholecalciferol, Folic Acid, Vitamin B12, Menadione Sodium Bisulfite (source of vitamin K), Biotin.

